
New



Working hour digital display

Rotatable rear handle

Mudguard

Patented gear-driven structure

3000W Brushless Concrete Ringsaw

- Newly improved patented driven machanism contributes to max. rotation speed upto 1500rpm,contributes to expectional efficiency.
- Adjustment-free design provides user maximum convenient.
- Net weight only 11kgs,rotatable rear handle and rubber wrapped front grip provides user most comfort operating angles
- Digital working hour timer provides user visible quality warranty
- Independent guide plate with gears at the front end provides stability while greatly reducing the risk of blade bending and cracking

Model No	LN 1030	Load Power	6000W	Blade Dia.	410mm
Rated Power	3000W	No Load Speed	0-1500rpm	Cutting Depth	300mm




Vacuum Pipe

2800W Slotting Machine Wall Chaser

- Robust,durable design far surpasses the competition and provides the user with reliable performance throughout the product's service life
- Resilient protective cover design allows the blade access into wall corner without dead-end
- An effective mechanism brings efficient and precision work
- Rotatable rear handle help users finding their most grip angles on the construction site
- This machine comes with vacuum pipe,water pipe and a mini pump
- Adjustable bottom plate can provide ideal cutting for hydropower installation jobs in once

Model No	LN 1005	Blade Dia.	133mm	Cutting Width	40mm
Rated Power	2800W	No Load Speed	0-5500rpm	Cutting Depth	30mm







135mm 1100W Wall Planing Machine

- Invention patents, as the leading enterprise in the industry standard, provide users with visible stability and durablity
- Adjustable planing depth from 1-3.5mm,suit for plan out wallpaper,paint,putty and plaster
- Robust,durable design.Double handle contributes to easier control
- This product comes with detachable additional blade and 1M dust vacuum pipe

Model No	LN 1001	No Load Speed	2700rpm	Cutting Depth	1-3.5mm
Rated Power	1100W	Cutting Width	135mm		







93mm 800W Wall Planing Machine

- Invention patents, as the leading enterprise in the industry standard, provide users with visible stability and durablity
- Suit for plan out wallpaper,paint,putty and plaster in once
- Newly improved adjustable floating handle easier for operating in one hand
- This product comes with detachable additional blade and 1M dust vacuum pipe

Model No	LN 1002	No Load Speed	2800rpm	Cutting Depth	1-3.5mm
Rated Power	800W	Cutting Width	93mm		





AVT

135mm 1100W Wall Planing Machine

- Invention patents, as the leading enterprise in the industry standard, provide users with visible stability and durablity
- Newly improved adjustable steering wheel grip easier for operating in all directions
- No-dead-end design,no external blade required,provide more comfort and safety

Model No	LN 1006	No Load Speed	2700rpm	Cutting Depth	1-3.5mm
Rated Power	1100W	Cutting Width	135mm		





PEBBLE/CEMENT/STONE PULP AGITATOR

1200W Foldable Cement Mixer

- Water-proof design and extentional grip.Suit for pebble,cement,stone pulp mixing work directly on working field
- Robust gear box design contributes to longer service life
- The cutter head can be replaced and used for soil loosening operations on arable land

Model No	LN 1003S	No-load speed	0-200rpm	Stirring Number	8
Rated Power	1200W	Tool Blade Dia.	225mm		

MORE DURABLE **MORE** SAFETY

TRADE DRIVEN • TRUSTED RUGGED



Patented driven struture
Continuous working condition testing for over 80 hours, safe, reliable and efficient, the efficiency far exceeds the traditional structure

26mm SDS-plus Straight Hammer Drill

- 2 operating modes,hammer only or hammer drill,contribute to light weight but heavy duty performace,allows light chiselling into masonry and concrete
- Optimum drilling performance 8-16mm
- Robust,durable design far surpasses the competition and provides the user with reliable performance throughout the product's service life

Model No	LN 2602	No-load speed	0-1150rpm	Wood	30mm
Rated Power	850W	Impact Frequency	0-4500ipm	Concrete	26mm
Impact Joules	3J	Chuck Type	SDS Plus	Steel	13mm





26mm SDS-plus Straight Hammer Drill

- 4 operating modes,drilling only,hammer drill,positioning or hammer drill,classic structure combination with enhanced 1050W motor platform
- Optimum drilling performance 8-16mm
- Ideal for professional users in industrial project.

Model No	LN 2603	No-load speed	0-1050rpm	Wood	30mm
Rated Power	1050W	Impact Frequency	0-4500ipm	Concrete	26mm
Impact Joules	3J	Chuck Type	SDS Plus	Steel	13mm



New

26mm SDS-plus Straight Hammer Drill

- Classic 4 operating modes in actual rated 800W,allows light chiselling and fast drliing into wood,mansory and concrete
- Optimum drilling performance 8-16mm
- Equipped with an external brush holder and a built-in brush holder version, it is the good choice for advanced DIY enthusiasts

Model No	LN 2607	No-load speed	0-1150rpm	Wood	30mm
Rated Power	800W	Impact Frequency	0-4500ipm	Concrete	26mm
Impact Joules	3J	Chuck Type	SDS Plus	Steel	13mm



26mm SDS-plus Straight Hammer Drill

- The actual power is divided into 650W and 750W versions, and the classic structure guarantees its stability in various environments.
- Optimum drilling performance 8-16mm
- Suitable for mild home renovation work, household-level stable model

Model No	LN 2605	No-load speed	0-1150rpm	Wood	30mm
Rated Power	800W	Impact Frequency	0-4500ipm	Concrete	26mm
Impact Joules	2.5J	Chuck Type	SDS Plus	Steel	13mm



26mm Quick-change Chuck Straight Hammer Drill

- The actual power is divided into 650W and 750W versions, and the classic structure guarantees its stability in various environments.
- Optimum drilling performance 8-16mm
- Quick-change chuck type design allows it can change from SDS-plus type into 3-jaw chuck type in seconds,provides users with faster and more convenient DIY work

Model No	LN 2605-K	No-load speed	0-1150rpm	Wood	30mm
Rated Power	800W	Impact Frequency	0-4500ipm	Concrete	26mm
Impact Joules	2.5J	Chuck Type	Quick Change	Steel	13mm



28mm SDS-plus Hammer Drill

- Patented design, high-power motor, faster impact,work efficiency is 30% higher than the traditional hammer drill in the market
- Optimum drilling performance 10-28mm
- High-standard parts requirements provides user longer product's service life
- Suit for the reinforcement and installation of buildings , roads, and other projects.

Model No	LN 27ST	No-load speed	0-1300rpm	Wood	40mm
Rated Power	1050W	Impact Frequency	0-4400ipm	Concrete	28mm
Impact Joules	4.5J	Chuck Type	SDS Plus	Steel	13mm



Shoulder strap

30mm SDS-plus Hammer Drill

- Suit for interior decoration, hydropower, monitoring, pipeline installation, etc.Suitable for aerial work, and efficient reinforcement planting (below 16mm)
- Optimum drilling performance 8-26mm
- Drilling anchor holes in concrete and masonry
- The strap design can effectively reduce the risk of falling from high-altitude work

Model No	LN 28ST	No-load speed	0-1200rpm	Wood	60mm
Rated Power	900W	Impact Frequency	0-4600ipm	Concrete	30mm
Impact Joules	5.0J	Chuck Type	SDS Plus	Steel	13mm



Shoulder strap

30mm SDS-plus Hammer Drill

- Suit for interior decoration, hydropower, monitoring, pipeline installation, etc.Suitable for aerial work, and efficient reinforcement planting (below 16mm)
- Optimum drilling performance 8-26mm
- Drilling anchor holes in concrete and masonry
- The strap design can effectively reduce the risk of falling from high-altitude work

Model No	LN 30ST	No-load speed	0-1200rpm	Wood	60mm
Rated Power	900W	Impact Frequency	0-4600ipm	Concrete	30mm
Impact Joules	5.0J	Chuck Type	SDS Plus	Steel	13mm



32mm SDS-plus Hammer Drill

- Patented design, patented respiratory system,effectively reduce the temperature of the fuselage and increase the service life of the grease leather ring
- Optimum drilling performance 12-32mm
- 26mm cylinder super force with AVT system and safety-clutch design
- Industrial choice for bridge,building reinforcement and efficient reinforcement planting

Model No	LN 32ST	No-load speed	0-1200rpm	Wood	80mm
Rated Power	1350W	Impact Frequency	0-4700ipm	Concrete	32mm
Impact Joules	6.0J	Chuck Type	SDS Plus	Steel	13mm



SDS max

40mm SDS-max Hammer Drill

- Net weight 7.2 kg, 30mm lengthened cylinder contributes to super blasting power suitable for reinforcement and installation of construction sites, roads, and other projects
- Optimum drilling performance 18-38mm
- 6-gear speed regulation.Ideal for drilling anchoring and fastening holes into concrete,brick, tile and mansory up to 45mm in diameter

Model No	LN 40ST	No-load speed	300-720rpm	Wood	100mm
Rated Power	1500W	Impact Frequency	1800-4400ipm	Concrete	38mm
Impact Joules	9.0J	Chuck Type	SDS MAX	Steel	13mm



SDS max

1550W SDS-max Chipping Hammer

- SDS Max Tools holder optimized chiseling.Ideal for heavy duty work on mansory and concrete thanks to low vibrations and low-fatigue design
- On/off switch and speed control for adjusting the impact rate
- D-handle for comfortable downward operation
- Highly durable due to extremely robust components

Model No	LN 11E	Impact Rate	0-1890ipm	Cylinder Inner Dia.	40mm
Rated Power	1550W	Chuck Type	SDS MAX	Impact Energy	43.5J



1100W SDS-hex Chipping Hammer

- Active vibration control exsures lower vibration and better working comfort
- Optimized power to weight ratio means quality performance
- Universal interchangeable accessories,easier for users finding matching repairments
- Special carbon brushes are used to effectively reduce the temperature rise while cooperating with special effects and high-power motors to ensure the long life of the motor

Model No	LN 0810	Impact Frequency	0-3900ipm	Cylinder Inner Dia.	30mm
Rated Power	1100W	Chuck Type	SDS Hex	Impact Energy	13.0J



1100W SDS-hex/max Chipping Hammer

- Ideal for light demolition work,for surface preparation or for cutting grooves and through holes in bricks,mansory and concrete
- Ergonomic,slim line design maximizes control
- An effective mechanism brings impacts directly to the tool without loss to vibration
- Strong power, high efficiency and durability

Model No	LN 3006 / -DX	Impact Frequency	0-4800ipm	Cylinder Inner Dia.	30mm
Rated Power	1100W	Chuck Type	SDS Hex/Max	Impact Energy	15.0J



1100W SDS-hex/max Chipping Hammer

- Active vibration control exsures lower vibration and better working comfort
- Optimized power to weight ratio means quality performance
- Universal interchangeable accessories,easier for users finding matching repairments
- Special carbon brushes are used to effectively reduce the temperature rise while cooperating with special effects and high-power motors to ensure the long life of the motor

Model No	LN 0811 / -DX	Impact Frequency	0-3900ipm	Cylinder Inner Dia.	30mm
Rated Power	1100W	Chuck Type	SDS Hex/Max	Impact Energy	14.0J



1300W SDS-hex/max Chipping Hammer

- New impact machanism with max. impact energy upto 23J.Ideal for light demolition work, for surface preparation or for cutting grooves
- Ergonomic,slim line design maximizes control
- An effective mechanism brings impacts directly to the tool without loss to vibration
- Strong power, high efficiency and durability
- Improved cooling air guidance within the impact machanism provides longer service life

Model No	LN 35K / -DX	Impact Frequency	0-4000ipm	Cylinder Inner Dia.	35mm
Rated Power	1300W	Chuck Type	SDS Hex/Max	Impact Energy	23.0J



1300W SDS-hex/max Chipping Hammer

- Ideal for light demolition work,for surface preparation or for cutting grooves and through holes in bricks,mansory and concrete
- Ergonomic,slim line design maximizes control
- An effective mechanism brings impacts directly to the tool without loss to vibration
- Enlarged cylinder housing effectively enhance the impact stability and efficiency of the machine


Model No	LN 36K / -DX	Impact Frequency	0-4000ipm	Cylinder Inner Dia.	35mm
Rated Power	1300W	Chuck Type	SDS Hex/Max	Impact Energy	23.0J



1300W SDS-hex Chipping Hammer

- Enlarged 37mm cylinder contributes to max. impact energy upto 23J.Make this machine higher efficiency in light-mid duty demolition work
- Aluminum die-cast housing and gear box guarantees durability

Model No	LN 37K	Impact Frequency	0-4000ipm	Cylinder Inner Dia.	37mm
Rated Power	1300W	Chuck Type	SDS Hex	Impact Energy	25.0J



IRON BOX

1450W 14kg Hex Demolition Hammer (Oil lubrication)

- Ideal for light demolition work,for surface preparation or for cutting grooves and through holes in bricks,mansory and concrete
- Robust construction ensures a very long service life
- An effective mechanism brings impacts directly to the tool without loss to vibration
- Active vibration control exsures lower vibration and better working comfort

Model No	LN 105T	Impact Frequency	1900ipm	Cylinder Inner Dia.	45mm
Rated Power	1450W	Chuck Type	Hex	Impact Energy	45.0J



ROLLER BMC

1800W 17kg Hex Demolition Hammer (Grease)

- Robust,durable design far surpasses the competition and provides the user with reliable performance throughout the product's service life
- Thicken aluminum die-cast housing and gear box provides maximum durability
- An effective mechanism brings impacts directly to the tool without loss to vibration
- Powerful demolition ability allows users to easily cope with the hardest grade concrete on the construction site

Model No	LN 135K	Impact Frequency	2100ipm	Cylinder Inner Dia.	55mm
Rated Power	1800W	Chuck Type	Hex	Impact Energy	70.0J




IRON BOX

1700W 15kg Hex Demolition Hammer (Oil lubrication)

- Newly improved impact machanism contributes to max. impact energy upto 60J.Suit for heavy duty demolition work.
- Aluminum die-cast housing and gear box guarantees durability
- 15kgs net weight allows the machine impacting into mansory,concrete and stone by gravity and blasting power itself easily,provides user more comfort

Model No	LN 120T	Impact Frequency	2100ipm	Cylinder Inner Dia.	45mm
Rated Power	1700W	Chuck Type	Hex	Impact Energy	60.0J





1400W Cement Mixer Drill

- Electric concrete mixer features a robust 9A motor, offering superior efficiency compared to standard motors. It serves as a reliable drill mixer and a high-powered drill
- This model provides 2 size chuck,inner dia M14 with outer dia M22 and 16mm 3-jaw chuck
- With the ability to rotate in 360°, our mixer provides exceptional maneuverability. The multi-direction side handle ensures comfortable operation and precise control

Model No	LN 1422 / -C	No-load speed	0-1250rpm	Speed	Stepless
Rated Power	1400W	Chuck Size	M14/M22/16mm		



710W Corded Percussion Drill

- Optimally tuned RPM and torque ratio
- Key chuck for 13mm drill bit
- Electronic regulation of speed control and number of beats
- Includes additional handle and depth drill stop
- Strap clip design

Model No	LN 6138C	No-load speed	0-2800rpm	Torque	8.2 Nm
Rated Power	710W	Chuck Capacity	0-13mm	Spindle	1/2" X 20 UNF





900W 115mm Slide/Paddle Switch Angle Grinder

- Efficient 900W motor provides fast and effective cutting and processing of various material
- Lightweight and slim design allows for comfortable,long-term work without fatigue
- 115mm disc enables precise and efficient cutting
- Soft start prevents machine jerking during start-up
- Includes protective cover for sanding and additional handles

Model No	LN 100C / -CS	Idle speed	12000rpm	Thread	M10
Rated Power	900W	Max. Disc Diameter	115mm	Weight	1.64kg



1200W 125mm Slide/Paddle Switch Angle Grinder

- Motor windings embedded in epoxy resin
- Dust ejection system removes most contamination from the cooling air
- Thin body allows a comfortable grip and outstanding ergonomics
- Compact,lightweight angle grinder with a small body diameter for excellent working comfort
- Gearbox design ensures long service life and low vibration
- Flat gearbox housing allows trouble-free operation in confined spaces

Model No	LN 125C / -CS	Idle speed	11000rpm	Thread	M14
Rated Power	1200W	Max. Disc Diameter	125mm	Weight	2.1kg

POWER SHARE

COMPATIBLE PLATFORM

New



21V Brushless 22mm SDS-plus Hammer Drill

- 2 operating modes,drilling only or hammer drilling,contributes to very small dimensions and light weight only 1.7kg
- Optimum drilling performance 4-16mm
- LED work light,super bright with delay function,bright light in closed work spaces
- **Electronic gyro-sensor protection** provides more anti-twist safety
- **Pulse drilling function** can be used for drilling holes on tiles without breaking

Model No	LN 225	No-load speed	0-1050rpm	Wood	30mm
Power Supply	21V	Impact Rate	0-4700ipm	Concrete	22mm
Battery	2 X 21V 4.0Ah	Impact Energy	2.0J	Steel	13mm





21V Brushless 26mm SDS-plus Hammer Drill

- Same performance as corded hammer drill.Suit for interior decoration, hydropower, monitoring, pipeline installation, etc.
- Optimum drilling performance 8-26mm
- Ideal for drilling anchor holes in concrete and masonry
- Brushless motor and high-capacity 4.0Ah 21V lithium-ion battery

Model No	LN 226	No-load speed	0-1100rpm	Wood	30mm
Power Supply	21V	Impact Rate	0-4700ipm	Concrete	26mm
Battery	2 X 21V 4.0Ah	Impact Energy	2.6J	Steel	13mm



21V Brushless 26mm SDS-plus Hammer Drill

- Suit for interior decoration, hydropower, monitoring, pipeline installation, etc.Suitable for aerial work, and efficient reinforcement planting (below 16mm)
- Optimum drilling performance 8-26mm
- Ideal for drilling anchoring and installation holes in concrete and mansory 4mm-26mm
- Safety-clutch mechanism reduces risk of injury

Model No	LN 226A	No-load speed	0-1100rpm	Wood	30mm
Power Supply	21V	Impact Rate	0-4700ipm	Concrete	26mm
Battery	2 X 21V 4.0Ah	Impact Energy	2.6J	Steel	13mm




21V Brushless 28mm SDS-plus Hammer Drill

- 2 operating modes,hammer only or hammer drilling.Same performance as heavy duty combination hammer drills.
- Optimum drilling performance 8-28mm
- Active vibration control
- **Electronic gyro-sensor protection** provides more anti-twist safety

Model No	LN 228	No-load speed	0-1100rpm	Wood	40mm
Power Supply	21V	Impact Rate	0-4700ipm	Concrete	28mm
Battery	2 X 21V 4.0Ah	Impact Energy	4.0J	Steel	13mm

New



21V Brushless 2800N Semi-auto Strapping Machine

- Brushless motor brings upto 2800N tensioning force
- Suit for heavy building material,steel,stone,cardboard boxes etc. strapping works
- Optimized tensioning force will automatically stop while straps reaching strength
- Easy to operate, efficient automation, safe and reliable

Model No	LN 1008	Tensioning Force	500-2800N	Optimized width	13-16mm
Power Supply	21V	Ideal for	PP/PET	Optimized thickness	0.5-1.2mm



16.8V Brushless Drill Driver

- Brushless motor technology provides outstanding efficiency
- 2-speed transmission optimally tuned for perfect power transfer
- 19-stage torque control module
- Durable 13mm fully metal quick-release drill chuck

Model No	LN D16S	No-load speed	0-450/1600rpm	Chuck	1.5-13mm
Power Supply	16.8V	Torque(Hard/Soft)	45/25Nm	Wood	30mm
Battery	2 X 16.8V 2.0Ah	Torque Setting	19+3	Steel	13mm



21V Brushless Drill Driver

- Brushless motor technology provides outstanding efficiency
- 2-speed transmission optimally tuned for perfect power transfer
- 19-stage torque control module
- Durable 13mm fully metal quick-release drill chuck
- This tool comes with a strap clip

Model No	LN D20S	No-load speed	0-450/1600rpm	Chuck	1.5-13mm
Power Supply	21V	Torque(Hard/Soft)	45/25Nm	Wood	30mm
Battery	2 X 21V 2.0Ah	Torque Setting	19+3	Steel	13mm



21V Brushless 100mm Angle Grinder

- Brushless motor technology provides outstanding efficiency
- Electronic brake reliably stops the disc within a few seconds
- Overload protection
- Restart protection
- Mesh guard on ventilation openings
- Quick-release nut and tool-free guard adjustment

Model No	LN A100B	No-load speed	0-9000rpm	Max. Disc Dia.	125mm
Power Supply	21V	Soft Start/Brake	YES/YES	Drive Spindle	M10/14
Battery	2 X 21V 4.0Ah	Switch	Trigger with lock		



21V Brushless 100mm Angle Grinder

- Electronic brake reliably stops the disc within a few seconds
- Mesh guard on ventilation openings
- Quick-release nut and tool-free guard adjustment
- Touch controller for regulating RPM
- Newly improved magnetic design prevents iron shavings from entering the moto

Model No	LN A100S	No-load speed	0-9000rpm	Max. Disc Dia.	125mm
Power Supply	21V	Soft Start/Brake	YES/YES	Drive Spindle	M10/14
Battery	2 X 21V 4.0Ah	Switch	Sliding lock		

