

YL1940 S3

Upper : Barton action leather
Sole : PU/PU
Midsole : Steel Sole+Toe
Degree : S3 / SRC
Size Range : EU 38-47 UK 4.5-12 US 6-13

QTY /pcs	CBM /m³	GW /kg
10	0.11	18



YL1941 S3

Upper : Barton action leather
Sole : PU/PU
Midsole : Steel Sole+Toe
Degree : S3 / SRC
Size Range : EU 38-47 UK 4.5-12 US 6-13

QTY /pcs	CBM /m³	GW /kg
10	0.11	18



YL1942 S3

Upper : Barton action leather
Sole : PU/PU
Midsole : Steel Sole+Toe
Degree : S3 / SRC
Size Range : EU 38-47 UK 4.5-12 US 6-13

QTY /pcs	CBM /m³	GW /kg
10	0.11	19



YL1943 S3

Upper : Barton action leather
Sole : PU/PU
Midsole : Steel Sole+Toe
Degree : S3 / SRC
Size Range : EU 38-47 UK 4.5-12 US 6-13

QTY /pcs	CBM /m³	GW /kg
10	0.11	19



YL1943N S3

Upper : Leather
Sole : PU/PU
Midsole : Steel Sole+Toe
Degree : S3 / SRC
Size Range : EU 38-47 UK 4.5-12 US 6-13

QTY /pcs	CBM /m³	GW /kg
10	0.11	18



YL1946 S3

Upper : Leather+Breathable mesh
Sole : PU/PU
Midsole : Steel Sole+Toe
Degree : S3 / SRC
Size Range : EU 38-47 UK 4.5-12 US 6-13

QTY /pcs	CBM /m³	GW /kg
10	0.1	18



YL1947 S3

Upper : Barton action leather
Sole : PU/PU
Midsole : Steel Sole+Toe
Degree : S3 / SRC
Size Range : EU 38-47 UK 4.5-12 US 6-13

QTY /pcs	CBM /m³	GW /kg
10	0.1	18



YL1948 S3

Upper : Barton action leather
Sole : PU/PU
Midsole : Steel Sole+Toe
Degree : S3 / SRC
Size Range : EU 38-47 UK 4.5-12 US 6-13

QTY /pcs	CBM /m³	GW /kg
10	0.1	18



YL1951 S3

Upper : Barton action leather
Sole : PU+Rubber
Midsole : Steel Sole+Toe
Degree : S3 / SRC
Size Range : EU 38-47 UK 4.5-12 US 6-13

QTY /pcs	CBM /m³	GW /kg
10	0.09	20



YL5288 S3

Upper : Full-Grain Leather
Sole : PU/Rubber
Midsole : Steel Sole+Toe
Degree : S3/SRC HRO
Size Range : EU 38-47 UK 4.5-12 US 6-13

QTY /pcs	CBM /m³	GW /kg
10	0.12	20



YL5289 S3

Upper : Barton action leather
Sole : PU/PU
Midsole : Steel Sole+Toe
Degree : S3 / SRC
Size Range : EU 38-47 UK 4.5-12 US 6-13

QTY /pcs	CBM /m³	GW /kg
10	0.12	19



YL5290 S3

Upper : Barton action leather
Sole : PU/Rubber
Midsole : Steel Sole+Toe
Degree : S3/SRC HRO
Size Range : EU39-46 • UK 5-11.5 US 7-12

QTY /pcs	CBM /m³	GW /kg
10	0.12	20



YL1952 S3/SRA

Upper : Full-Grain Leather
Sole : PU/Rubber
Midsole : Steel Sole+Toe
Degree : S3/SRC HRO
Size Range : EU 38-47 UK 4.5-12 US 6-13

QTY /pcs	CBM /m³	GW /kg
10	0.12	20



YL1953 S3

Upper : Barton action leather
Sole : PU/PU
Midsole : Steel Sole+Toe
Degree : S3 / SRC
Size Range : EU 38-47 UK 4.5-12 US 6-13

QTY /pcs	CBM /m³	GW /kg
10	0.12	19



YL1954 S3

Upper : Barton action leather
Sole : PU/Rubber
Midsole : Steel Sole+Toe
Degree : S3/SRC HRO
Size Range : EU39-46 • UK 5-11.5 US 7-12

QTY /pcs	CBM /m³	GW /kg
10	0.12	20



YP5209 S3

Upper : Barton action leather
Sole : PU/PU
Midsole : Steel Sole+Toe
Degree : S3 / SRC
Size Range : EU 38-47 UK 4.5-12 US 6-13

QTY /pcs	CBM /m³	GW /kg
10	0.09	16



YP5210 S1P

Upper : Recycled canvas
Sole : PU/PU
Midsole : Steel Sole+Toe
Degree : S1P FO SRC
Size Range : EU 38-47 UK 4.5-12 US 6-13

QTY /pcs	CBM /m³	GW /kg
10	0.09	16



YP5214 S3

Upper : Barton action leather
Sole : PU/PU
Midsole : Steel Sole+Toe
Degree : S3 / SRC
Size Range : EU 38-47 UK 4.5-12 US 6-13

QTY /pcs	CBM /m³	GW /kg
10	0.11	18

COMFORT THAT LASTS

This safety shoe offers an array of key features, such as slip resistance, a breathable design, comfortable footbed, ESD, lightweight midsole and toe cap & much more. Made from vegan materials.



OPTIMALE FORHOLD

ESD

CE S1PS LOW PERF





YL1871 S1PS

Upper : molded cap,Microfiber
Sole : PU/PU
Midsole : Kevlar Sole+Anti-puncture Textile
Degree : S1PS / SR, SC, ESD, FO
Size Range : EU 38-47 UK 4.5-12 US 6-13

QTY /pcs	CBM /m³	GW /kg
10	0.09	16



YL1911 S2

Upper : Suede
Sole : PU/PU
Midsole : Steel Sole+Toe
Degree : S2 / SRC
Size Range : EU 38-47 UK 4.5-12 US 6-13

QTY /pcs	CBM /m³	GW /kg
10	0.1	18



YP5206 S1P

Upper : Suede
Sole : PU/Rubber
Midsole : Steel Sole+Toe
Degree : S1P
Size Range : EU 38-47 UK 4.5-12 US 6-13

QTY /pcs	CBM /m³	GW /kg
10	0.09	19



YL1870 S1P/SRA

Upper : Suede leather, Textile
Sole : Nitrile Rubber
Midsole : Steel Sole+Toe
Degree : S1P / SRA
Size Range : EU 38-47 UK 4.5-12 US 6-13

QTY /pcs	CBM /m³	GW /kg
10	0.09	16



YL1870 S1P/SRA

Upper : Suede leather, Textile
Sole : Nitrile Rubber
Midsole : Steel Sole+Toe
Degree : S1P / SRA
Size Range : EU 38-47 UK 4.5-12 US 6-13

QTY /pcs	CBM /m³	GW /kg
10	0.09	16



YL1870 S1P/SRA

Upper : Suede leather, Textile
Sole : Nitrile Rubber
Midsole : Steel Sole+Toe
Degree : S1P / SRA
Size Range : EU 38-47 UK 4.5-12 US 6-13

QTY /pcs	CBM /m³	GW /kg
10	0.09	16



YL1950 S1P

Upper : Suede+Breathable mesh
Sole : PU+Rubber
Midsole : Steel Sole+Toe
Degree : S1P
Size Range : EU 38-47 UK 4.5-12 US 6-13

QTY /pcs	CBM /m³	GW /kg
10	0.09	20



YP5203 S1P

Upper : Knitted Textile
Sole : PU/PU
Midsole : Steel Sole+Toe
Degree : S1 / SRC
Size Range : EU 38-47 UK 4.5-12 US 6-13

QTY /pcs	CBM /m³	GW /kg
10	0.13	17



YP5204 S1P

Upper : Knitted Textile
Sole : PU/PU
Midsole : Steel Sole+Toe
Degree : S1 / SRC
Size Range : EU 38-47 UK 4.5-12 US 6-13

QTY /pcs	CBM /m³	GW /kg
10	0.13	19



YP5202 S1P

Upper : Knitted Textile
Sole : PU/PU
Midsole : Steel Sole+Toe
Degree : S1P/SRC
Size Range : EU 38-47 UK 4.5-12 US 6-13

QTY /pcs	CBM /m³	GW /kg
10	0.13	17



YP5207 S1P

Upper : Knitted Textile
Sole : PU/PU
Midsole : Steel Sole+Toe
Degree : S1P
Size Range : EU 38-47 UK 4.5-12 US 6-13

QTY /pcs	CBM /m³	GW /kg
10	0.07	14



YP5208 S1

Upper : Knitted Textile
Sole : PU/PU
Midsole : Steel Sole+Toe
Degree : S1 / SRC
Size Range : EU 38-47 UK 4.5-12 US 6-13

QTY /pcs	CBM /m³	GW /kg
10	0.07	14

NATURALS RUBBER

DUAL DENSITY PU/RUBBER

TOP QUALITY

Standard Certification

AS 2210.3:2019 SRC
ASTM F2413-18 EH Resistant

ESD

CE

Life Odour Control lining
Natural plant-based antimicrobial protection that eliminates 99% of bacteria that causes bad smell.



High Quality Leather Upper
High quality leather uppers for added safety and durability

Zip Sided
Allows you to quickly slip in and out of your boots without having to stop and use the laces.

PU Comfort Footbed
Designed to reduce foot fatigue & increase underfoot comfort & support.

Steel Safety Toecap
Capable of resisting a drop force of 200 Joules to offer premium protection for your toes.

Toe Scuff Protection
For added toe scuff and abrasion protection to prolong the life of the boot.

Tunnel System
Concave design in the heel of the outsole that absorbs shock from impact, thus relieving pressure on the joints.

Durable Rubber Outsole
Designed to meet the slip, fuel, oil, abrasion & heat resistant to 300°C standard AS 2210.3.

Electric Hazard Protection
Designed to significantly minimise the flow electricity to the ground, reducing the possibility of electrocution.

SAFETYBOY KEEP YOU SAFE COMPOSITE

NATUREform® composite toe cap

40% LIGHTER

COMFORT TECHNOLOGY

- 200JOULE STEEL TOE CAP
- PUNCTURE RESISTANT
- SLIP RESISTANT OUTSOLE
- ANTI STATIC SHOE
- ELECTRICAL HAZARD
- ENERGY ABSORBING HEEL
- NITRILE BUTADIENE RUBBER







YP0001 S3

Upper : Molded Head
Sole : Rubber
Midsole : Kevlar Sole+Toe
Degree : S3/SRC
Size Range : EU 38-47 UK 4.5-12 US 6-13

QTY /pcs	CBM /m³	GW /kg
10	0.13	19

YP0002 S3

Upper : Nubunk Leather
Sole : Rubber
Midsole : Steel Sole+Toe
Degree : S3/SRC
Size Range : EU 38-47 UK 4.5-12 US 6-13

QTY /pcs	CBM /m³	GW /kg
10	0.13	17

YP0003 S3

Upper : Nubunk Leather
Sole : Rubber
Midsole : Steel Sole+Toe
Degree : S3/SRC EH
Size Range : EU 38-47 UK 4.5-12 US 6-13

QTY /pcs	CBM /m³	GW /kg
10	0.13	18

STEEL TOE CAP GUMBOOTS

Seriously safe. Seriously durable.

THERMALLY INSULATING

isolation →

- PVC
- RUBBER
- PU
- **NEOTANE**



SUPERIOR SOCK LINING
For soft comfort that dries quickly

ANKLE PROTECTION
Padded ankle with concave inner for added comfort and protection

KICK-OFF SPUR
For easy, hands-free boot removal

SHIN GUARD
Reinforced shin for improved protection and boot rigidity

PVC SOLE
Hard-wearing, flexible tread provides improved traction

TOE BUMPER
Provides additional toe protection

STEEL TOE CAP
Shields toes from falling hazards, with protection up to 200J



COMFORT TECHNOLOGY

- Hydrocarbon resistant sole
- Lightweight
- Impact resistance and crush resistance
- Anti perforation sole
- Energy absorption in the heel
- SRC
- Waterproof fixation of the sole to the shoe







YL1830 S5

Upper	: PVC
Sole	: PVC
Lining	: 100% Polyester Fully Lined
Toe Cap	: Steel - 200j Protection
Size Range	: EU39-46 • UK 5-11.5 US 7-12

QTY /pcs	CBM /m³	GW /kg
10	0.12	20